HEALTH APPRAISAL QUESTIONNAIRE

Name	Date

DIRECTIONS

This questionnaire asks you to assess how you have been feeling **during the last four months**. This information will help you keep track of how your physical, mental and emotional states respond to changes you make in your eating habits, priorities, supplement program, social and family life, level of physical activity and time spent on personal growth. All information is held in strict confidence. Take all the time you need to complete this questionnaire.

For each question, circle the number that best describes your symptoms:

- O = No or Rarely—You have never experienced the symptom or the symptom is familiar to you but you perceive it as insignificant (monthly or less)
- 1 = Occasionally—Symptom comes and goes and is linked in your mind to stress, diet, fatigue or some identifiable trigger
- 4 = Often—Symptom occurs 2-3 times per week and/or with a frequency that bothers you enough that you would like to do something about it
- 8 = Frequently—Symptom occurs 4 or more times per week and/or you are aware of the symptom every day, or it occurs with regularity on a monthly or cyclical basis

Some questions require a YES or NO response: O = NO 8 = YES

PART I	No/Rarely	Occasionally	Often	Frequently		No/Rarely	Occasionally	Often	Frequently
SECTION A					SECTION C (cont.)				
1. Indigestion, food repeats on you after you eat	0	1	4	8	6. Stool odor is embarrassing	0	1	4	8
2. Excessive burping, belching and/or bloating	^	1	,	0	7. Undigested food in your stool	0	1	4	8
following meals	0	1	4	8	8. Three or more large bowel movements daily	0	1	4	8
3. Stomach spasms and cramping during or after eating	0	1	4	8	9. Diarrhea (frequent loose, watery stool)	0	1	4	8
 A sensation that food just sits in your stomach creating uncomfortable fullness, pressure and bloating during or after a meal 	0	1	4	8	10. Bowel movement shortly after eating (within 1 hour) Tota	0 I noi] nts	4	8
5. Bad taste in your mouth	0	1	4	8	SECTION D	ii poi	1115		
6. Small amounts of food fill you up immediately	0	1	4	8					
7. Skip meals or eat erratically because you					Discomfort, pain or cramps in your colon (lower abdominal area)	0	1	4	8
have no appetite Tota	0 I poi	l nts		8	Emotional stress and/or eating raw fruits and vegetables causes abdominal bloating, pain,	0		4	0
SECTION B					cramps or gas 3. Generally constipated (or straining during	U	1	4	8
1. Strong emotions, or the thought or smell of food					bowel movements)	0	1	4	8
aggravates your stomach or makes it hurt	0	1	4	8	4. Stool is small, hard and dry	0	1	4	8
Feel hungry an hour or two after eating a good-sized meal	0	1	4	8	5. Pass mucus in your stool	0	1	4	8
3. Stomach pain, burning and/or aching over a		-	-		6. Alternate between constipation and diarrhea	0	1	4	8
period of 1-4 hours after eating	0	1	4	8	7. Rectal pain, itching or cramping	0	1	4	8
 Stomach pain, burning and/or aching relieved by eating food; drinking carbonated beverages, cream or milk; or taking antacids 	0	1	4	8	8. No urge to have a bowel movement 9. An almost continual need to have a bowel movement	1(O) 1(O)		-	Yes Yes
5. Burning sensation in the lower part of your chest, especially when lying down or bending forward	0	1	4	8		l poi	nts		
6. Digestive problems that subside with rest and relaxation	1(0)	No	(8	Yes	PART II				
Eating spicy and fatty (fried) foods, chocolate, coffee, alcohol, citrus or hot peppers causes your stomach to burn or ache	0	1	4	8	When massaging under your rib cage on your right side, there is pain, tenderness or soreness	0	1	4	8
8. Feel a sense of nausea when you eat	0	1	4	8	Abdominal pain worsens with deep breathing	0	1	4	8
9. Difficulty or pain when swallowing food or beverage				8	Pain at night that may move to your back or right shoulder	0	1	4	8
Tota	poi	nts			4. Bitter fluid repeats after eating	0	1	4	8
SECTION C					5. Feel abdominal discomfort or nausea when eating	_			_
 When massaging under your rib cage on your left side, there is pain, tenderness or soreness 	0	1	1	8	rich, fatty or fried foods	0	1	4	8
Indigestion, fullness or tension in your abdomen is delayed, occurring 2-4 hours after eating a meal	0	1		8	6. Throbbing temples and/or dull pain in forehead associated with overeating	0	1	4	8
Lower abdominal discomfort is relieved with the passage of gas or with a bowel movement	0	1	4	8	7. Unexplained itchy skin that's worse at night8. Stool color alternates from clay colored to	O	ı	4	8
4. Specific foods/beverages aggravate indigestion	0	1	4	8	normal brown	0	1	4	8
5. The consistency or form of your stool changes (e.g., from narrow to loose) within the course of a day	0	1	4	8	9. General feeling of poor health	0	1	4	8

PAI	RT II	No/Rarely	Occasionally	Often	Frequently	PART IV	No/Rarely	Occasionally	Often	Frequently
10.	Aching muscles not due to exercise	0	1 4	4 8	3	SECTION A				
11.	Retain fluid and feel swollen around the abdominal area	0	1 4	4 8	3	When you miss meals or go without food for extended p do you experience any of the following symptoms?	eriod	s of	tim	e,
12.	Reddened skin, especially palms	0	1 4	4 8	3	1. A sense of weakness	0	1	4	8
13.	Very strong body odor	0	1 4	4 8	3	2. A sudden sense of anxiety when you get hungry	0	1	4	8
14.	Are you embarrassed by your breath?	0	1 4	4 8	3	3. Tingling sensation in your hands	0	1	4	8
	Bruise easily Yellowish cast to eyes	(0)Nd		(8)Ye		A sensation of your heart beating too quickly or forcefully	0	1	4	8
10.	Tellowish Cast to eyes	Ojino	0	(O) Ye	es	5. Shaky, jittery, hands trembling	0	1	4	8
_	Total	l poin	its			6. Sudden profuse sweating and/or your skin feels clammy	0	1	4	8
PAI	RT III					7. Nightmares possibly associated with going to bed on an empty stomach	0	1	4	8
SEC	TION A					8. Wake up at night feeling restless	0	1	4	8
	Feel cold or chilled—hands, feet or all over—for no					9. Agitation, easily upset, nervous	0	1	4	8
'.	apparent reason	0	1 4	4 8	3	10. Poor memory, forgetful	0	1	4	8
2.	Your upper eyelids look swollen	0	1 4	4 8	3	11. Confused or disoriented	0	1	4	8
3.	Muscles are weak, cramp and/or tremble	0	1 4	4 8	3	12. Dizzy, faint	0	1	4	8
4.	Are you forgetful?	0	1 4	4 8	3	13. Cold or numb	0	1	4	8
5.	Do you feel like your heart beats slowly?	0	1 4	4 8	3	14. Mild headaches or head pounding	0	1	4	8
	Reaction time seems slowed down	0	1 4	4 8	3	15. Blurred vision or double vision	0	1	4	8
7.	In general, are you disinterested in sex because your desire is low?	0	1 4	4 8	3	16. Feel clumsy and uncoordinated	0	1	4	8
8.	Feel slow-moving, sluggish	0	1 4	4 8	3	SECTION B	al poi	nts		
9.	Constipation	0	1 4	4 8	3		^	,	4	0
10.	Dryness, discoloration of skin and/or hair	(0)Nd)	(8)Ye	es	1. Frequent urination during the day and night	0	ı	4	8
11.	Have you noticed recently that your voice is deepening?	(0)No	0	(8)Ye	es	Unusual thirst—feeling like you can't drink enough water	0	1	4	8
12.	Thick, brittle nails	(0)Nd)	(8)Ye	es	3. Unusual hunger—eating all the time	0	1	4	8
13.	Weight gain for no apparent reason	(0)Nd	0	(8)Ye	es	4. Vision blurs	0	1	4	8
14.	Outer third of your eyebrow is thinning	(0)No	_	(8)Ye		5. Feel itchy all over	0	1	4	8
1.5	or disappearing Swelling of the neck					6. Tingling or numbness in your feet	0	1	4	8
15.		(0)⊳⊲ I poi n		(8)Ye	es	Sense of drowsiness, lethargy during the day not associated with missing meals or not sleeping	0	1	4	8
SEC	TION B	i poiii	its		_	8. Eating starchy foods, even if they are healthy and unprocessed (like rice, corn, beans, whole wheat				
	Lingering mild fatigue after exertion or stress	0	1 4	4 8	3	or oats), causes you to gain weight or prevents you from losing weight	۱(0)	10	(8	Yes
2.	Do you find that you get tired and exhaust easily?	0	1 4	4 8	3	9. Sores heal slowly	1(0)	10	(8	Yes
3.	Craving for salty foods	0	1 4	4 8	3	10. Loss of hair on your legs	1(0)	10	(8)Yes
4.	Sensitive to minor changes in weather and surroundings	0	1 4	4 8	3	Tota	al poi	nts		
	Dizzy when rising or standing up from a kneeling position		1 4	4 8	3	PART V				•
6.	Dark bluish or black circles under your eyes	0	1 4	4 8	3					
7.	Have bouts of nausea with or without vomiting	0	1 4	4 8	3	SECTION A				
8.	Catch colds or infections easily	(0)Nd	0	(8)Ye	es	1. Feel jittery	0	1	4	8
	Wounds heal slowly	(0)Nd	0	(8)Ye	es	First effort of the day causes pain, pressure, tightness or heaviness around the chest	0	1	4	8
10.	Your body or parts of your body feel tender, sore, sensitive to the touch, hot and/or painful	0	1 4	4 8	3	3. Exhaustion with minor exertion	0	1	4	8
11	Feel puffy and swollen all over your body	0		4 8		4. Heavy sweating (no exertion, no hot flashes)	0	1	4	8
	Skin is gradually tanning without exposure	-				5. Difficulty catching breath, especially during exercise	0	1	4	8
14.	to sun or the ingestion of high levels of carotene-rich foods (e.g., daily carrot juice intake)					Heart pounding, sensation of heart beating too quickly, too slowly or irregularly	0	1	4	8
	or supplements	(0)Nd	0	(8)Ye	es	Swelling in feet, ankles and/or legs comes and goes for no apparent reason	0	1	4	8
	Tota	l poir	nts]	Tota	al poi	nts		


DA			>							
PA	RT V (cont.)	rely	Occasionally		ently		arely	Occasionally		Frequently
		No/Rarely	Occasi	Often	Frequently		No/Rarely	Occas	Often	Frequ
SEC	TION B					SECTION B (cont.)	_		_	_
1.	Muscle pain at rest	0	1	4	8	12. Do you become suddenly scared for no reason?	0	1	4	8
2.	Cramp-like pains in your ankles, calves or legs	0	1	4	8	13. Do you break out in a cold sweat?	0	1	4	8
3.	Numbness, tingling and prickling sensation in hands and feet	0	1	4	8	14. "Butterflies in your stomach," nausea and/or diarrhed	0	1	4	8
4.	Cold feet and/or toes appear blue	0	1	4	8	Tota	poi	nts		
5.	Brief moments of hearing loss	0	1	4	8	SECTION C				
6.	Nausea comes and goes quickly (unrelated to eating)	0	1	4	8	1. Do you feel pent up and ready to explode?	0	1	4	8
7.	Feel worse standing: legs get heavy and fatigued	0	1	4	8	2. Are you prone to noisy and emotional outbursts?	0	1	4	8
8.	Leg discomfort or fatigue relieved by elevating legs	0	1	4	8	3. Do you do things on impulse?	0	1	4	8
9.	Fingers and toes get numb in cold weather even					4. Are you easily upset or irritated?	0	1	4	8
	when protected	0	1	4	8	5. Do you go to pieces if you don't control yourself?	0	1	4	
	Notice changes in your ability to feel pain or differentiate between sensations of hot or cold	(O)N	lo	(8)	Yes	Do little annoyances get on your nerves and make you angry?	0	1		8
11.	Body hair (on arms, hands, fingers, legs and toes) is thinning or has disappeared	101/21	اما	(8)	Vaa	7. Does it make you angry to have anyone tell you				
12.	Do you notice a decline in your ability to make decisions, concentrate, focus attention or	(0)N	Ю	(0)	tes	what to do? 8. Do you flare up in anger if you can't have what	0	1	4	8
	follow directions?	(0)N	lo	(8)	Yes	you want right away?	0	1	4	8
	Total					Total	poi	nts		
ΡΔΙ	RT VI					PART VII				
1.7										
SEC	TION A					1. Eyes water or tear	0	1	4	8
						2. Mucus discharge from the eyes	0	1	4	8
'.	Family, friends, work, hobbies or activities you hold dear are no longer of interest	0	1	4	8	3. Ears ache, itch, feel congested or sore	0	1	4	8
2.	Do you cry?	0	1	4	8	4. Discharge from ears	0	1	4	8
	Does life look entirely hopeless?	0	1	4	8	5. Is your nose continually congested?	0	1	4	8
	Would you describe yourself as feeling miserable					6. Are you prone to loud snoring?	(O)	10	(8	3)Yes
	and sad, unhappy or blue?	0	1	4	8	7. Does your nose run?	0	1	٠,	8
5.	Do you find it hard to make the best of difficult situations?	0	1	4	8	8. Nosebleeds	(O)	10	(8	3)Yes
	Sleep problems—too much or too little sleep	0	1	4	8	9. Hoarse voice	0	1	4	•
	Changes in your appetite and weight	(0)N	ا	(8)	-	10. Do you have to clear your throat?	0	1	4	8
	Lately you've noticed an inability to think clearly	(0)14	10	(0)	res	11. Do you feel a choking lump in your throat?	0	1	4	_
0.	or concentrate	(0)N	lo	(8)	Yes	12. Do you suffer from severe colds?	(0)	10	(8	3)Yes
9.	Difficulty making decisions and/or clarifying and					13. Do frequent colds keep you miserable all winter?	(0)		-	3)Yes
	achieving your goals	(0)N	lo	(8)	Yes	14. Flu symptoms last longer than 5 days	(O)		-) Yes
	Total	poi	nts			15. Do infections settle in your lungs?	(0)			3)Yes
SEC	TION B					16. Chest discomfort or pain	0	1	- 1	8
1.	Does worrying get you down?	0	1	4	8	17. Do you experience sudden breathing difficulties?	0	1	4	8
2.	Does every little thing get on your nerves and wear	_	_		_	18. Do you struggle with shortness of breath?	0	1	4	8
_	you out?	0	1		8	19. Difficulty exhaling (breathing out)	0	1	4	
	Would you consider yourself a nervous person?	0	1	4	8	20. Breathlessness followed by coughing during exertion,				
	Do you feel easily agitated?	0	1	4	8	no matter how slight	0	1	4	8
	Do you shake and tremble?	0	1	4	8	21. Inability to breathe comfortably while lying down	0	1	4	8
	Are you keyed up and jittery?	0	1	4	8	22. Do you cough up lots of phlegm?	0	1	4	8
7.	Do you tremble or feel weak when someone shouts at you?	0	1	4	8	23. Can you hear noisy rattling sounds when breathing in and out?	0	1	4	8
8.	Do you become scared at sudden movements or noises at night?	0	1	4	8	24. Are you troubled with coughing?	0	1	4	8
9	Do you find yourself sighing a lot?	0	1		8	25. Do you wheeze?	0	1	4	8
	Are you awakened out of your sleep by	-	•	•	-	26. Do you have severe soaking sweats at night?	0	1	4	8
	frightening dreams?	0	1	4	8	27. Do your lips and/or nails have a bluish hue?	0	1	4	8
11.	Do frightening thoughts keep coming back in your mind?	0	1	4	8	28. Are you sleepy during the day?	0	1	4	8


PA	RT VII (cont.)	<u>~</u>	ally		Ę.			ally		<u></u>
		No/Rarely	Occasionally	Often	Frequently		No/Rarely	Occasionally	Often	Frequently
29	Do you have difficulty concentrating?	0	1	4	8	SECTION B (cont.)	_	<u> </u>	Ť	_
30	Eyes, ears, nose, throat and lung symptoms seem associated with specific foods like dairy or wheat products	n(O)	40	(8	Yes	Intermittent pain or ache on one side of head spreading to cheek, temple, lower jaw, ear, neck and shoulder		1	4	8
31	. Eyes, ears, nose, throat and lung symptoms are	(0).		10	7.00	Difficulty chewing food or opening mouth	0	1	4	8
	associated with seasonal changes	(O)	10	(8	Yes	10. Difficulty standing up from a sitting position	0	1	4	8
	Total	poiı	nts			11. Shooting, aching, tingling pain down the back of leg	0	1	4	8
PA	RT VIII					12. Is it difficult to reach up and get a 5-pound object like a bag of flour from just above your head?	(O)N)Yes
						13. Injure, strain or sprain easily	(O)N		(8)	Yes
1	. Involuntary loss of urine when you cough, lift something or strain during an activity	0	1	4	8	Total	poi	nts	_	
2	. Mild lower back ache or pain	0	1	4	8		^	1	4	0
3	. Abdominal achiness or pain	0	1	4	8	1. Muscles stiff, sore, tense and/or achy	0	1	4	8
4	. Pain or burning when urinating	0	1	4	8	2. Burning, throbbing, shooting or stabbing muscle pain	U	ı	4	8
5	. Rarely feel the urge to urinate	0	1	4	8	Muscle cramps or spasms (involuntary or after exertion/exercise)	0	1	4	8
6	. Feel the need to urinate less than every two hours during the day or night	0	1	4	8	Is muscle pain or stiffness greater in the morning than other times of the day?	0	1	4	8
7	. Strong smelling urine	0	1	4	8	5. Specific points on body feel sore when pressed	0	1	4	8
8	. Back or leg pains are associated with dripping after urination	0	1	4	8	6. Feel unrefreshed upon awakening	0	1	4	8
		0	1	4	8	7. Headaches	0	1	4	8
	. Sore or painful genitals . Urine is a rose color	0	1	4	8	8. Pain at the sides of your head or in your face	0	1	4	0
	. Sudden urge to void causes involuntary loss of urine	0	1		8	especially when awakening	0	1	4	8
	. Generalized sense of water retention throughout		·	·		9. Your jaw clicks or pops 10. Muscle twitch or tremor—eyelids, thumb, calf muscle	_	1	4	8
	your body	0	1	4	8	11. Irresistible urge to move legs	0	1	4	8
	Total	poi	nts			12. Legs move during sleep	0	1	4	8
PA	RT IX					13. Unpleasant crawling sensation inside calves when lying down		1	4	
SE	CTION A					14. Hand and wrist numbness or pain (e.g., interferes wit writing or with buttoning or unbuttoning your clothes)	h O	1	4	8
	. Bones throughout your entire body ache, feel tender or sore	0	1	4		15. Feeling of "pins and needles" in your thumb and first three fingers	0	1	4	8
	. Localized bone pain	0	1	4	8	16. Pain in forearm and sometimes in shoulder	0	1	4	8
	. Hands, feet or throat get tight, spasm or feel numb	0	1	4	8	Total	poir	ıts		
	. Difficulty sitting straight	0	1	4	8	PART X				
	. Upper back pain	0	1	4	8					
	. Lower back pain	0	1	4	8	SECTION A				
	Pain when sitting down or walking	0	1	4	8	1. Head feels heavy	0	1	4	8
	Find yourself limping or favoring one leg	0	1	4	8	2. Dizziness	0	1	4	
_	. Shins hurt during or after exercise Total	0 poi	nts	4	8	Difficulty bending over, standing up from sitting, rolling over in bed and/or turning your head from	Ü		7	Ü
	CTION B				-	side to side	0	1	4	8
1	Are you stiff in the morning when you wake up? Difficulty bending down and picking up clothing or anything from the floor	0	1		8	4. Your hands tremble, ever so slightly, for no apparent reason	0	1	4	8
		0	1	4	8	5. You feel like you're wearing heavy weights on your feet when walking	0	1	4	8
3	. Joint swelling, pain or stiffness involving one or more areas (fingers, hands, wrists, elbows, shoulders, toes, arches, feet, ankles, knees or ankles)	0	1	4	8	6. Bump into things, trip, stumble and feel clumsy	0	1	4	8
4	. Joints hurt when moving or when carrying weight	0	1		8	7. Difficulty breathing	0	1	4	8
1	. A routine exercise program, like daily walking, causes your knees to swell or hurt	0	1		8	8. Difficulty swallowing 9. People tell you to speak up because they have	0	1	4	
6	. Difficulty opening jars that were previously easy to open	0	1	⊿	8	trouble hearing you 10. Speaking and forming words does not feel automatic	0	1	4	8
7	Discomfort, numbness, prickling or tingling sensation, or pain in neck, shoulder or arm	0	1	4		11. Need 10-12 hours of sleep to feel rested	0	1	4	8

PART X (cont.)		À	$\overline{}$. 🖹	
PART X (cont.)	No/Rarely	Occasionally	Often Frequently		No/Rarely Occasionally	Often Frequently
	o/Ra	ccasi	Often Freque		o/Ra ccasi	Often Freque
CECTION A	Ž	Ŏ	<u>о ғ</u>		ŽÓ	О Е
SECTION A (cont.)				SECTION A (cont.)		
12. Lack strength (your grip is weak, holding your head or picking your arms up takes effort)	-	1	4 8	[B] 5. Abdominal bloating, feeling swollen (e.g., feet)	(0)No	(8)Yes
 Hands get tired when you write and your handwriting is less legible and smaller than it used to be 	(0)No	0	(8)Yes	6. Temporary weight gain	(0)No	(8)Yes
14. Muscles in arms and legs seem softer and smaller	(0)No		(8)Yes	7. Breast tenderness, swelling	(0)No	(8)Yes
15. Is your eyesight, sense of smell and taste or ability	(0)		(0)	8. Appearance of breast lumps	(0)No	(8)Yes
to hear not as sharp as it used to be?	(0)No		(8)Yes	9. Discharge from nipples	(0)No	(8)Yes
16. Do you find yourself moving slower than you used to?	(0)Nd		(8)Yes	10. Nausea and/or vomiting	(0)No	(8)Yes
Total	poin	its		11. Diarrhea or constipation	(0)No	(8)Yes (8)Yes
SECTION B				12. Aches and pains (back, joints, etc.) [C]	(0)No	(O) Yes
1. Difficulty absorbing new information	0	1	4 8	13. Craving for sweets	(0)No	(8)Yes
2. Tend to forget things	0	1	4 8	14. Increased appetite or binge eating	(0)No	(8)Yes
3. Trouble thinking or concentrating	0		4 8	15. Headaches	(0)No	(8)Yes
4. Easily distracted5. Do you have a tendency to become	0	1	4 8	16. Being easily overwhelmed, shaky or clumsy	(0)No	(8)Yes
5. Do you have a tendency to become frustrated quickly?	0	1	4 8	17. Heart pounding	(0)No	(8)Yes
6. Inability to sit still for any length of time, even	_		4 -	18. Dizziness or fainting	(0)No	(8)Yes
at mealtime	0	1	4 8	[D]		
7. Finishing tasks is easier said than done	0	I	4 8	19. Confused and forgetful to the point that work suffers	(0)No	(8)Yes
8. Do you have more trouble solving problems or managing your time than usual?	0	1	4 8	20. Overwhelmed with feelings of sadness and worthlessness	(0)No	(8)Yes
9. Low tolerance for stress and otherwise				21. Difficulty sleeping or falling asleep	(0)No	(8)Yes
ordinary problems	0	1	4 8	22. Engaging in self-destructive behavior	(0)No	(8)Yes
Total	poin	ts		Tota	l points	
PART XI				SECTION B		
				Do you experience any of these symptoms <u>during your pe</u>	riod?	
Men Only				Cramping in lower abdomen or pelvic area	(0)No	(8)Yes
Sensation of not emptying your bladder completely	0	1	4 8	2. Lower abdominal pain is sharp and/or dull or intermittent	(0)No	(8)Yes
2. Need to urinate less than 2 hours after you have	0		- 0	3. Bloating and sense of abdominal fullness	(0)No	(8)Yes
finished urinating	0	1	4 8	4. Diarrhea or constipation	(0)No	(8)Yes
3. Find yourself needing to stop and start again	0	1	4 0	5. Nausea and/or vomiting	(0)No	(8)Yes
several times while urinating 4. Find it difficult to postpone urination	0	_	4 8 4 8	6. Low back and/or legs ache	(0)No	(8)Yes
5. Have a weak urinary stream	0	_	4 8	7. Headaches	(0)No	(8)Yes
6. Need to push or strain to begin urinating	0	_	4 8	8. Unusual fatigue (take naps) resulting in missed work	(0)No	(8)Yes
7. Dripping after urination	0	_	4 8	Painful and/or swollen breasts Scanty blood flow	(0)No	(8)Yes (8)Yes
8. Urge to urinate several times a night	_	_	4 8		(0)No	(O) res
Total	noin				l points	
	,			SECTION C	0 3	4 6
PART XII				Painful or difficult sexual intercourse Low abdominal, back and vaginal pain	0 1	4 8
				throughout the month	0 1	4 8
Women Only				Pelvic pressure or pain while sitting down or standing up, relieved by lying down	0 1	4 8
(Menopausal women should skip to Sections E a	nd F)			Vaginal bleeding other than during your period	0 1	4 8
SECTION A				5. Painful bowel movements	0 1	4 8
Do you persistently experience any of these symptoms wit days to two weeks <i>prior to menstruation?</i>	thin t	hre	e	6. Difficult (straining) urination	0 1	4 8
[A]				7. Abnormal vaginal discharge	0 1	4 8
1. Anxious, irritable or restless	(O)No)	(8)Yes	Offensive vaginal discharge Vaginal itching or burning with or without intercourse	0 1	4 8 4 8
Numbness, tingling in hands and feet	(0)No		(8)Yes	Vaginal litching or burning with or without intercourse Pain during periods is getting progressively worse	0 I (0)No	4 8 (8)Yes
3. Easy to anger, resentful	(0)No		(8)Yes	11. Profuse or prolonged menstrual bleeding	(0)No	(8) Yes
4. Aggressive or hostile toward family/friends	(0)No		(8)Yes	12. Unable to get pregnant	(0)No	(8)Yes
,,	. ,					
				lota	points	

PART XII (cont.)	No/Rarely Occasionally	Often Frequently		No/Rarely	Occasionally	Often	Frequently
SECTION D			SECTION E (cont.)				
1. Absence of periods for six months or longer	(0)No	(8) Yes	5. Interest in having sex is low	0	1	4	8
2. Periods occur irregularly (e.g., 3 to 6 times a year)	(0)No	(8)Yes	6. Engorged breasts	0	1	4	8
3. Profuse heavy bleeding during periods	0 1	4 8	7. Breast tenderness, soreness	0	1	4	8
4. Menstrual blood contains clots and tissue	0 1	4 8	8. Difficulty with orgasm	0	1	4	8
5. Bleeding between periods can occur anytime	0 1	4 8	9. Vaginal bleeding after sexual intercourse	0	1	4	8
6. Periods occur greater than every 35 days	(0)No	(8) Yes	10. Do you skip periods?	(O)	Vo	(8)	Yes
 Intense upper stomach pain, lasting several hours at the time you ovulate (approximately day 14 of your cycle) 	0 1	4 8	11. The length (number of days) of your period varies month to month, with the number of days of bleeding getting fewer	n(O))Yes
Bleeding occurs at ovulation (approximately day 14 of your cycle)	0 1	4 8	Tot	al poi	nts		
9. Monthly abdominal pain without bleeding	0 1	4 8	SECTION F				
10. Abundant cervical mucus	0 1	4 8	Sense of well-being fluctuates throughout the day for no apparent reason	0	1	4	8
11. Acne and/or oily skin	0 1	4 8	2. Sudden hot flashes	0	1	4	8
12. Overwhelming urges for sexual intercourse	0 1	4 8	3. Spontaneous sweating	0	1	4	8
13. Aggressive feelings	0 1	4 8	4. Chills	0	1	4	8
14. Increased growth of dark facial and/or body hair	(O)No	(8) Yes	5. Cold hands and feet	0	1	4	8
15. Poor sense of smell	(O)No	(8) Yes	6. Heart beats rapidly or feels like it is fluttering	0	1	4	8
16. Voice is becoming deeper	(O)No	(8) Yes	7. Numbness, tingling or prickling sensations	0	1	4	8
17. Breasts seem to be getting smaller	(O)No	(8) Yes	8. Dizziness	0	1	4	8
18. Receding hairline	(0)No	(8)Yes	Mental fogginess, forgetful or distracted	0	1	4	8
Tota	al points		10. Inability to concentrate	0	1	4	8
SECTION E			11. Depression, anxiety, nervousness and/or irritability	0	1	4	8
1. Vaginal discharge	0 1	4 8	12. Difficulty sleeping	0	1	4	8
Vaginal secretions are watery and thin	0 1	4 8	13. Conscious of new feelings of anger and frustration	0	1	4	8
3. Vaginal dryness	0 1	4 8	14. Skin, hair, vagina and/or eyes feel dry	0	1	4	8
4. Sexual intercourse is uncomfortable	0 1	4 8	15. Stopped menstruating around six months ago, yet still experience some vaginal bleeding	۱(O)	No	(8)	Yes
			Tot	al poi	nts		

Please mark an "X" to indicate areas where you feel pain, swelling or discomfort, or areas of your skin that have changed color or texture (e.g., moles, rashes, etc.). Describe what you feel or observe in your own words. Write anywhere in this area.





HEALTH HISTORY				
N			D (D:)	T / D
				Today's Date Number of Children
		arried 🔲 Separate		
•		·	d Divorced	☐ vvidow(er)
Are you recovering from a cold of	r flue Are you p	regnant?		D I
Reason for office visit:				Date began:
Date of last physical exam				
Laboratory procedures performed	(e.g., stool analysis, blood and	urine chemistries, hair analy	sis):	
Outcome				
What types of therapy have you t	ried for this problem(s):			
☐ diet modification ☐ fo	-	·	ny 🗖 chiropractic 🗖 acup	ouncture
List current health problems for wh				
Current medications (prescription				
	or over-me-coomer).			
Major Hospitalizations, Surgeries,	Injuries: Please list all procedur	res, complications (if any) and	dates:	
Year Surgery, Illness, Ir	njury		Outcome	
Do you consider yourself: u	(e.g., changes in job, work, resonderweight	sidence or finances, legal pro ht	blems): Your weight today ths?	6 7 8 9 10
☐ Corrective lenses	☐ Dentures ☐ Hearing ai	d	prosthetics/implants, describe:	
Recent changes in your ability to:	□ see □ hec	ar 🔲 taste	smell • fee	l hot/cold sensations
,	, stand, walk, run, pick up thin			Thor, cold scrisdifons
Strong like for any of the following			☐ rich/fatty ☐ spicy/punge	ent 🔲 salty
Strong dislike for any one of the f			☐ rich/fatty ☐ spicy/punge	
Do you: Prefer warmth (i.e.,	•		_	•
,	•		s, weather, etc.) \Box No preferen	ce
Is your sleep disturbed at the same			f Lil	
Time of day you feel the most ene	, ,		ay you feel the worst or your sym	
	m. – 11 a.m. 🚨 11 a.m. – 1 p m. – 5 p.m. 🚨 5 p.m. – 7 p.		a.m. − 9 a.m.	a.m.
	m 11 p.m.			p.m.
	m 5 a.m.		a.m 3 a.m.	
Do you experience any of these		?	_	_
Debilitating fatigue	☐ Shortness of breath	☐ Insomnia	☐ Constipation	☐ Chronic pain/inflammation
☐ Depression	☐ Panic attacks	☐ Nausea	☐ Fecal incontinence	☐ Bleeding
Disinterest in sex	☐ Headaches	☐ Vomiting	☐ Urinary incontinence	☐ Discharge
Disinterest in eating	Dizziness	Diarrhea	Low grade fever	☐ Itching/rash

Medical History		Health Habits	Current Supplements
☐ Arthritis	Decreased sex drive	☐ Tobacco:	☐ Multivitamin/mineral
☐ Allergies/hay fever	☐ Infertility	Cigarettes: #/day	☐ Vitamin C
☐ Asthma	☐ Sexually transmitted disease	Cigars: #/day	☐ Vitamin E
☐ Alcoholism	Other	☐ Alcohol:	□ EPA/DHA
☐ Alzheimer's disease		Wine: #glasses/d or wk	3
Autoimmune disease	AAodiaal (Waman)	Liquor: #ounces/d or wk Beer: #glasses/d or wk	Calcium, source
☐ Blood pressure problems	Medical (Women)	Caffeine:	☐ Magnesium☐ Zinc
☐ Bronchitis	Menstrual irregularitiesEndometriosis	Coffee: #6 oz cups/d	
Cancer	☐ Infertility	Tea: #6 oz cups/d	☐ Minerals, describe ☐ Friendly flora (acidophilus)
☐ Chronic fatigue syndrome	☐ Fibrocystic breasts	Soda w/caffeine: #cans/d	Digestive enzymes
☐ Carpal tunnel syndrome	☐ Fibroids/ovarian cysts	Other sources	Amino acids
☐ Cholesterol, elevated☐ Circulatory problems	☐ Premenstrual syndrome (PMS)	☐ Water: #glasses/d	☐ CoQ10
Colitis	☐ Breast cancer		☐ Antioxidants (e.g., lutein,
☐ Dental problems	☐ Pelvic inflammatory disease	Exercise	resveratrol, etc.)
Depression	☐ Vaginal infections	☐ 5-7 days per week	☐ Herbs - teas
☐ Diabetes	Decreased sex drive	☐ 3-4 days per week	☐ Herbs - extracts
Diverticular disease	Sexually transmitted disease	1-2 days per week	Chinese herbs
☐ Drug addiction	Other	45 minutes or more duration per workout	Ayurvedic herbs
☐ Eating disorder	Age of first period	☐ 30-45 minutes duration per workout	☐ Homeopathy
☐ Epilepsy	Date of last gynecological exam	Less than 30 minutes	☐ Bach flowers
☐ Emphysema	Mammogram	☐ Walk	Protein shakes
☐ Eyes, ears, nose, throat problems	PAP	Run, jog, jump rope	 Superfoods (e.g., bee pollen, phytonutrient blends)
☐ Environmental sensitivities	Form of birth control	☐ Weight lift	☐ Liquid meals
☐ Fibromyalgia	# of children # of pregnancies	☐ Swim	Other
☐ Food intolerance	C-section	☐ Box	
☐ Gastroesophageal reflux disease	☐ Surgical menopause	☐ Yoga	Would you like to:
☐ Genetic disorder	☐ Menopause		☐ Have more energy
☐ Glaucoma	Date of last menstrual cycle	Nutrition & Diet	☐ Be stronger
Gout	Length of cycle days	 Mixed food diet (animal and vegetable sources) 	☐ Have more endurance
☐ Heart disease	Interval of time between cycles	☐ Vegetarian	☐ Increase your sex drive
☐ Infection, chronic	days	☐ Vegan	☐ Be thinner
☐ Inflammatory bowel disease	Any recent changes in normal men- strual flow (e.g., heavier, large clots,	☐ Salt restriction	☐ Be more muscular
☐ Irritable bowel syndrome	scanty)	☐ Fat restriction	☐ Improve your complexion
☐ Kidney or bladder disease		☐ Starch/carbohydrate restriction	☐ Have stronger nails
Learning disabilities	Family Health History	☐ The Zone Diet	☐ Have healthier hair
Liver or gallbladder disease (stones)	(Parents and Siblings)	☐ Total calorie restriction	☐ Be less moody
☐ Mental illness	☐ Arthritis	Specific food restrictions:	☐ Be less depressed
☐ Mental retardation	☐ Asthma	☐ dairy ☐ wheat ☐ eggs	☐ Be less indecisive
☐ Migraine headaches	☐ Alcoholism	soy corn all gluten	☐ Feel more motivated
□ Neurological problems	☐ Alzheimer's disease	Other	☐ Be more organized
(Parkinson's, paralysis)	☐ Cancer	Food Frequency	Think more clearly and be more
☐ Sinus problems	Depression	Servings per day:	focused
☐ Stroke	Diabetes	Fruits (citrus, melons, etc.)	☐ Improve memory☐ Do better on tests in school
☐ Thyroid trouble☐ Obesity	Drug addiction	Dark green or deep yellow/orange	☐ Not be dependent on over-the-
Osteoporosis	☐ Eating disorder	vegetables	counter medications like aspirin,
Pneumonia	Genetic disorder	Grains (unprocessed)	ibuprofen, anti-histamines, sleeping
☐ Sexually transmitted disease	Glaucoma	Beans, peas, legumes	aids, etc.
☐ Seasonal affective disorder	Heart disease	Dairy, eggs Meat, poultry, fish	 Stop using laxatives or stool softeners
☐ Skin problems	☐ Infertility	Medi, poolily, listi	☐ Be free of pain
☐ Tuberculosis	☐ Learning disabilities ☐ Mental illness	Eating Habits	☐ Sleep better
☐ Ulcer	Mental retardation	Skip breakfast	☐ Have agreeable breath
☐ Urinary tract infection	☐ Migraine headaches	☐ Two meals/day	☐ Have agreeable body odor
☐ Varicose veins	☐ Neurological disorders	☐ One meal/day	☐ Have stronger teeth
Other	(Parkinson's, paralysis)	Graze (small frequent meals)	Get less colds and flus
	Obesity	☐ Food rotation	☐ Get rid of your allergies
	Osteoporosis	 Eat constantly whether hungry or not 	☐ Reduce your risk of inherited dis-
Medical (Men)	☐ Stroke	Generally eat on the run	ease tendencies (e.g., cancer, heart disease, etc.)
☐ Benign prostatic hyperplasia (BPH)	Suicide	Add salt to food	noan aloudo, ole.j
☐ Prostate cancer	Other		